

Pneumonia

Key Indicators	Trinity Health (1)	National Average (2)	Top 10% of Hospitals Nationwide (2)	Trinity Health Hospitals at Top 10%
Percent of Pneumonia Patients Assessed and Given Pneumococcal Vaccination	96%	85%	99%	5 out of 24 hospitals
Percent of Pneumonia Patients Whose Initial Emergency Room Blood Culture Was Performed Prior To The Administration Of The First Hospital Dose Of Antibiotics	98%	92%	100%	10 out of 24 hospitals
Percent of Pneumonia Patients Given Smoking Cessation Advice/Counseling	99%	90%	100%	18 out of 24 hospitals
Percent of Pneumonia Patients Given Initial Antibiotic(s) within 6 Hours After Arrival	96%	93%	100%	3 out of 24 hospitals
Percent of Pneumonia Patients Given the Most Appropriate Initial Antibiotic(s)	97%	88%	98%	12 out of 24 hospitals
Percent of Pneumonia Patients Assessed and Given Influenza Vaccination (3)	93%	85%	99%	8 out of 24 hospital

*The percentage includes only patients whose history and condition indicate the treatment is appropriate. Talk to your doctor if you have questions about your treatment.

- (1) Trinity Health data time period: April 2009 to September 2009.
- (2) National average and Top 10% of hospitals nationwide were obtained from the Hospital Compare website on January 12, 2010. The latest reporting period is from April 2008 through March 2009 for most indicators.
- (3) For “Given Influenza Vaccination” indicator, Hospital Compare website reports the data from October 2008 through March 2009; Trinity Health is reporting the data from October 2008 through March 2009.