CORONAVIRUS DISEASE 2019 (COVID-19)

CDC recommendations for health care personnel testing/quarantine after a high-risk COVID-19 exposure



Audience: Colleagues

Revision Date: 4/12/21

Version: #1

COVID-19 Response Team Owner: Clinical Operations

Date of Last Review: 4/12/21

Note that the CDC has two sets of recommendations for testing/quarantine of fully vaccinated persons after a high-risk exposure to COVID-19. Fully vaccinated is more than two weeks after a person has received the second dose in a two-dose series or more than two weeks after they have received a single-dose vaccine.

1. Members of the <u>general public</u> who are fully vaccinated do not need to seek testing or quarantine after exposure to someone with COVID-19.

2. Colleagues

- Asymptomatic <u>colleagues</u> should refer to the <u>Colleague Exposure Assessment Tool</u> for testing and/or quarantine requirements after high-risk exposure incidents, regardless of vaccination status. These colleagues may be eligible for the <u>COVID-19 Paid Leave</u>.
- **Symptomatic** <u>colleagues</u> should refer to the <u>Colleague Exposure Assessment Tool</u> for testing and/or quarantine requirements, regardless of vaccination status. These colleagues may be eligible for the <u>COVID-19 Paid Leave</u>.